h	
100	

			IV C
	Application No.	Applicant(s)	
	09/965,946	MIZIA ET AL.	
Notice of Allowability	Examiner	Art Unit	
<u> </u>	Harry D Wilkins, III	1742	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communicati IGHTS. This application is subjec	application. If not included ion will be mailed in due cou	rse. THIS
1. A This communication is responsive to after final amendment	nt filed 22 Octbober 2003.		
2. The allowed claim(s) is/are <u>15-20,23,25 and 26</u> .			
3. The drawings filed on are accepted by the Examine			
 4. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 	nder 35 U.S.C. § 119(a)-(d) or (f).		
 Certified copies of the priority documents have 	e been received.		
Certified copies of the priority documents have	e been received in Application No.	·	
Copies of the certified copies of the priority do	cuments have been received in th	is national stage application	from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority u reference was included in the first sentence of the specific (a) The translation of the foreign language provisional a 6. Acknowledgment is made of a claim for domestic priority u in the first sentence of the specification or in an Application	ation or in an Application Data She application has been received. Inder 35 U.S.C. §§ 120 and/or 121	eet, 37 CFR 1,78.	
Applicant has THREE MONTHS FROM THE "MAILING DATE" o below. Failure to timely comply will result in ABANDONMENT of			
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			CE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers ☐ hereto or 2) ☐ to Paper No 		O-948) attached	
(b) ☐ including changes required by the proposed drawing of	correction filed, which has	been approved by the Exam	iner.
(c) ☐ including changes required by the attached Examiner'	s Amendment / Comment or in the	Office action of Paper No.	
ldentifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			k) of
DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT FOR T			the
Attachment(s)			
1 Notice of References Cited (PTO-892)	5 Notice of Informal F	Patent Application (PTO-152	<u>'</u>)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)	6☐ Interview Summary	/ (PTO-413), Paper No	
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No	3), 7☐ Examiner's Amend	ment/Comment	
4 Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowanc	
of Biological Material	9 XI Other Inventors	ship Correction MOY MANG P	
		BOY MAIG P	
	SUPER	nov nice : Rvisory patent (2/4/16/2) Denology Centric (7/3)	5.4 5.4

Application/Control Number: 09/965,946

Art Unit: 1742

In view of the papers filed October 27, 2003, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48(a). The inventorship of this application has been changed by the addition of David B. Williams. The correct inventorship of this application is:

Inventor	City	<u>State</u>
Mizia, Ronald E.	ldaho Falls	Idaho
Shaber,Eric L.	Idaho Falls	Idaho
Dupont, John N.	Whitehall	Pennsylvania
Robino, Charles V.	Albuquerque	New Mexico
Williams, David B.	Bethlehem	Pennsylvania

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of the file jacket and PTO PALM data to reflect the inventorship as corrected.

Any inquiry concerning this communication should be directed to Roy King at telephone number 703-308-1146.

ROY KING CUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700